

RAMBE SE







Tektro 4 piston hydraulic disc brakes. **Front Brakes** - 203mm

Rear Brakes - 180mm



4. DIGITAL DISPLAY

Bafang DPC18 with digitlal color display LCD screen.



2. MOTOR

Bafang 1000W Ultra Drive Motor. This motor operates in virtual silence while powering you at 1000W.



5. TIRES

26" x 4.5" fat tire with double wall 100mm rims.



3. BATTERY

48V 17AH battery. The 17 amp hour battery can give you a max distance up to 40 miles!



6. REAR HUB

Rohloff internally geared 14 speed rear hub.



MODEL#	1000 XPR	CHAIN RING	RAMBO CUSTOM BUILT 46T NARROW WIDE
WEIGHT	71 LBS.	TIRE	26" X 4.5"
FRAME	ALUMINUM ALLOY 6061	RIM	DOUBLE WALL 100MM WIDE
PAINT	KING'S CAMO XK7	PEDAL	WELLGO B807DU
MOTOR	BAFANG 1,000W ULTRA DRIVE	SADDLE	SELLE ROYAL A027HEO
DIGITAL DISPLAY	BAFANG DPC18 LCD SCREEN	HANDLEBAR	PROMAX 770MM
BATTERY	48V 17AH	STEM	PROMAX MA-50
FORK	GT860 AIR	GRIP	VELO 100MM / 122MM LOCK ON
FRONT HUB	KT-M9CF 150MM SEALED	MAX SPEED	28 MPH
REAR HUB	ROHLOFF 14 SPEED HUB	RANGE	UP TO 40 MILES
THROTTLE	THUMB THOTTLE	STAND OVER HEIGHT	32.8"
FRONT BRAKE	TEKTRO HD-E725 4 PISTON HYDRAULIC 203MM	FRAME SIZE	19.7"
REAR BRAKE	TEKTRO HD-E725 4 PISTON HYDRAULIC 180MM	WEIGHT CAPACITY	300 LBS.







Tektro 4 piston hydraulic disc brakes. **Front Brakes** - 203mm

Rear Brakes - 180mm



2. MOTOR

Two 1000W hub motors, the rear and front hub motors give unsurpassed performance when climbing hills, deep snow or even mud.



3. BATTERY

Dual 17 AH, total 34 AH. Giving you up to 80 miles of travel.



4. DIGITAL DISPLAY

Rambo Custom All wheel drive color display.



5. TIRES

26" x 4.5" fat tire with double wall 100mm rims.




6. ON DEMAND AWD

Push button all wheel drive, allows users to switch from front, rear, or all wheel drive.



MODEL#	1000 X2WD	CHAIN RING	RAMBO CUSTOM BUILT 46T NARROW WIDE
WEIGHT	77 LBS.	TIRE	26" X 4.5"
FRAME	ALUMINUM ALLOY 6061	RIM	DOUBLE WALL W/O HOLES 100MM WIDE
PAINT	TRUETIMBER VIPER WESTERN CAMO	PEDAL	WELLGO B807DU
MOTOR	BAFANG 1000W HUB MOTOR X2	SADDLE	SELLE ROYAL A027HEO
DIGITAL DISPLAY	RAMBO CUSTOM AWD COLOR DISPLAY	HANDLEBAR	PROMAX 770MM
BATTERY	DUAL 17 AH	STEM	PROMAX MA-50
FORK	GT860	GRIP	VELO 122MM LOCK ON
FRONT HUB	BAFANG 1000W HUB MOTOR	MAX SPEED	28 MPH
REAR HUB	BAFANG 1000W HUB MOTOR	RANGE	UP TO 80 MILES
THROTTLE	THUMB THROTTLE	STAND OVER HEIGHT	31.6"
FRONT BRAKE	TEKTRO HD-E725 4 PISTON HYDRAULIC 203MM	FRAME SIZE	19.7"
REAR BRAKE	TEKTRO HD-E725 4 PISTON HYDRAULIC 180MM	WEIGHT CAPACITY	300 LBS.







The Rambo Rampage 1000W Xtreme Performance Full Suspension electric bike is designed by customer request for the Extreme Rider that will only settle for the best.







1. BRAKES

Tektro 4 piston hydraulic disc brakes. Front Brakes - 203mm

Rear Brakes - 180mm



4. DIGITAL DISPLAY

Bafang DPC18 with digitlal color display LCD screen.



2. MOTOR

Bafang 1000W Ultra Drive Motor. This motor operates in virtual silence while powering you at 1000W.



5. TIRES

26" x 4.5" fat tire with double wall 100mm rims.



3. BATTERY

48V 21AH battery. The 21-amp hour battery can give you a max distance up to 60 miles!




6. DERAILLEUR

11 speed gear system and 5 levels of motor power. 420% gear range.



MODEL#	1000 XPFF	CHAIN RING	RAMBO CUSTOM BUILT 36T NARROW WIDE
WEIGHT	67 LBS.	TIRE	26" X 4.5"
FRAME	ALUMINUM ALLOY 6061	RIM	DOUBLE WALL W/O HOLES 100MM WIDE
PAINT	BLACK WITH DECALS	PEDAL	WELLGO
MOTOR	BAFANG 1,000W ULTRA DRIVE	SADDLE	WBT
DIGITAL DISPLAY	BAFANG DPC18 LCD SCREEN	HANDLEBAR	UNO 740MM
BATTERY	48V 21AH	STEM	UNO 50MM
FORK	GT 830E	GRIP	SRAM XX1 100MM / 122 LOCK ON
FRONT HUB	KT 110MM SEALED	MAX SPEED	28 MPH
REAR HUB	KT 142MM SEALED	RANGE	UP TO 60 MILES
THROTTLE	THUMB THROTTLE	STAND OVER HEIGHT	30.5"
FRONT BRAKE	TEKTRO HD-E725 4 PISTON HYDRAULIC 203MM	FRAME SIZE	18.5"
REAR BRAKE	TEKTRO HD-E725 4 PISTON HYDRAULIC 180MM	WEIGHT CAPACITY	300 LBS.







Tektro 4 piston hydraulic disc brakes.

Front Brakes - 203mm

Rear Brakes - 180mm



4. DIGITAL DISPLAY

Bafang DPC18 with digitlal color display LCD screen.



2. MOTOR

Bafang 1000W Ultra Drive Motor. This motor operates in virtual silence while powering you at 1000W.



5. TIRES

Maxxis Minion 27.5" x 2.8."



3. BATTERY

48V 21AH battery. The 21-amp hour battery can give you a max distance up to 60 miles!



6. DERAILLEUR


11 speed gear system and 5 levels of motor power. 420% gear range.



MODEL#	1000 XPFS	CHAIN RING	Rambo custom built 36T Narrow Wide
WEIGHT	67 LBS.	TIRE	MAXXIS MINION 27.5" X 2.8"
FRAME	ALUMINUM ALLOY 6061	RIM	27.5" ALEXRIMS TUBELESS READY
PAINT	BLACK WITH DECALS	PEDAL	WELLGO
MOTOR	BAFANG 1,000W ULTRA DRIVE	SADDLE	WBT
DIGITAL DISPLAY	BAFANG DPC18 LCD SCREEN	HANDLEBAR	UNO 740MM
BATTERY	48V 21AH	STEM	UNO 50MM
FORK	GT 830E	GRIP	SRAM XX1 100MM / 122 LOCK ON
FRONT HUB	KT 110MM SEALED	MAX SPEED	28 MPH
REAR HUB	KT 142MM SEALED	RANGE	UP TO 60 MILES
THROTTLE	THUMB THROTTLE	STAND OVER HEIGHT	30.5"
FRONT BRAKE	TEKTRO HD-E725 4 PISTON HYDRAULIC 203MM	FRAME SIZE	18.5"
REAR BRAKE	TEKTRO HD-E725 4 PISTON HYDRAULIC 180MM	WEIGHT CAPACITY	300 LBS.



- 2 SEAT TUBE TO HANDPOST 20.9"
- HEAD TUBE 7.7"
- 4 SEAT TUBE 18.2"
- 5 STAND OVER HEIGHT 31.6"



- 6 FORK LENGTH 23"
- FORK WIDTH 1.5"
- 8 CHAIN STAY LENGTH 18.8"
- WHEELBASE 48"





Tektro 4 piston hydraulic disc brakes. **Front Brakes** - 203mm

Rear Brakes - 180mm



4. DIGITAL DISPLAY

Bafang DPC18 with digitlal color display LCD screen.



2. MOTOR

Bafang 1000W Ultra Drive Motor. This motor operates in virtual silence while powering you at 1000W.



5. TIRES

Maxxis Minion 27.5" x 3.8" fat tire with double wall 80mm rims.



3. BATTERY

48V 17AH battery. The 17 amp hour battery can give you a max distance up to 40 miles!




6. REAR HUB

Enviolo CVP rear hub. Silent variable speed hub.

380% gear range.



MODEL#	1000 XPE	CHAIN RING	RAMBO CUSTOM BUILT 46T NARROW WIDE
WEIGHT	70 LBS.	TIRE	MAXXIS MINION 27.5" X 3.8"
FRAME	ALUMINUM ALLOY 6061	RIM	DOUBLE WALL 70MM WIDE
PAINT	KING'S CAMO XK7 I FDE	PEDAL	WELLGO B807DU
MOTOR	BAFANG 1,000W ULTRA DRIVE	SADDLE	SELLE ROYAL A027HEO
DIGITAL DISPLAY	BAFANG DPC18 LCD SCREEN	HANDLEBAR	PROMAX 770MM
BATTERY	48V 17AH	STEM	PROMAX MA-50
FORK	GT860 AIR	GRIP	VELO 100MM / 122MM LOCK ON
FRONT HUB	KT-M9CF 150MM SEALED	MAX SPEED	28 MPH
REAR HUB	ENVIOLO CVT	RANGE	UP TO 40 MILES
THROTTLE	THUMB THROTTLE	STAND OVER HEIGHT	32.8"
FRONT BRAKE	TEKTRO HD-E725 4 PISTON HYDRAULIC 203MM	FRAME SIZE	19.7"
REAR BRAKE	TEKTRO HD-E725 4 PISTON HYDRAULIC 180MM	WEIGHT CAPACITY	300 LBS.





The Rambo Step-Thru Rebel 1000W Xtreme Performance bike is designed by customer request for the Extreme Rider that will only settle for the best.

FRAME COLORS







1. BRAKES

Tektro 4 piston hydraulic disc brakes. Front Brakes - 203mm

Rear Brakes - 180mm



4. DIGITAL DISPLAY

Bafang DPC18 with digitlal color display LCD screen.



2. MOTOR

Bafang 1,000W BBSHD High Torque Mid Drive. The BBSHD has a nominal power rating of 1000W and a peak power rating of 1500W.



5. TIRES

26" x 4.5" fat tire with double wall 100mm rims.



3. BATTERY

48V 21AH battery. The 21 amp hour battery can give you a max distance up to 48 miles!



6. DERAILLEUR

High performance SRAM NX 1x11 Derailleur with 11 different gear settings. 420% gear range.



MODEL#	1000 XPST	CHAIN RING	RAMBO CUSTOM BUILT 36T NARROW WIDE
WEIGHT	69 LBS.	TIRE	26" X 4.5"
FRAME	ALUMINUM ALLOY 6061	RIM	DOUBLE WALL 100MM WIDE
PAINT	TRUETIUMBER VIPER WESTERN CAMO	PEDAL	WELLGO B807DU
MOTOR	BAFANG 1,000W BBSHD HIGH TORQUE MID DRIVE	SADDLE	SELLE ROYAL A027HEO
DIGITAL DISPLAY	BAFANG DPC18 LCD SCREEN	HANDLEBAR	PROMAX 770MM
BATTERY	48V 21AH	STEM	PROMAX MA-50
FORK	GT860 AIR	GRIP	SRAM XX1 100MM / 122MM LOCK ON
FRONT HUB	KT-M9CF 150MM SEALED	MAX SPEED	28 MPH
REAR HUB	KT-M9CF 197MM SEALED	RANGE	UP TO 48 MILES
REAR CASSETTE	SRAM NX PG-1130 11-42T	STAND OVER HEIGHT	31"
FRONT BRAKE	TEKTRO HD-E725 4 PISTON HYDRAULIC 203MM	FRAME SIZE	19"
REAR BRAKE	TEKTRO HD-E725 4 PISTON HYDRAULIC 180MM	WEIGHT CAPACITY	300 LBS.







Tektro 4 piston hydraulic disc brakes. **Front Brakes** - 203mm

Rear Brakes - 180mm



4. DIGITAL DISPLAY

Bafang DPC18 with digitlal color display LCD screen.



2. MOTOR

Bafang 1,000W BBSHD High Torque Mid Drive. The BBSHD has a nominal power rating of 1000W and a peak power rating of 1500W.



5. TIRES

26" x 4.5" fat tire with double wall 100mm rims.



3. BATTERY

48V 21AH battery. The 21 amp hour battery can give you a max distance up to 48 miles!




6. DERAILLEUR

High performance SRAM NX 1x11 Derailleur with 11 different gear settings. 420% gear range.



MODEL#	1000 XPC	CHAIN RING	RAMBO CUSTOM BUILT 36T NARROW WIDE
WEIGHT	69 LBS.	TIRE	26" X 4.5"
FRAME	ALUMINUM ALLOY 6061	RIM	DOUBLE WALL 100MM WIDE
PAINT	TRUETIUMBER VIPER WESTERN CAMO / URBAN	PEDAL	WELLGO B807DU
MOTOR	BAFANG 1,000W BBSHD HIGH TORQUE MID DRIVE	SADDLE	SELLE ROYAL A027HEO
DIGITAL DISPLAY	BAFANG DPC18 LCD SCREEN	HANDLEBAR	PROMAX 770MM
BATTERY	48V 21AH	STEM	PROMAX MA-50
FORK	GT860 AIR	GRIP	SRAM XX1 100MM / 122MM LOCK ON
FRONT HUB	KT-M9CF 150MM SEALED	MAX SPEED	28 MPH
REAR HUB	KT-M9CF 197MM SEALED	RANGE	UP TO 48 MILES
REAR CASSETTE	SRAM NX PG-1130 11-42T	STAND OVER HEIGHT	31"
FRONT BRAKE	TEKTRO HD-E725 4 PISTON HYDRAULIC 203MM	FRAME SIZE	19"
REAR BRAKE	TEKTRO HD-E725 4 PISTON HYDRAULIC 180MM	WEIGHT CAPACITY	300 LBS.







Fully adjustable front and rear Logan HD-E500 2 piston hydraulic 180mm.



4. DIGITAL DISPLAY

Bafang DPC18 which displays trip distance, battery level, power, and speed.



2. MOTOR

Two hub motors, the rear and front hub motors give unsurpassed performance when climbing hills, deep snow or even mud.



5. TIRES

26" x 4.0" fat tire with double wall 80mm rims.



3. BATTERY

48V 20AH battery. The 20 amp hour battery can give you a max distance up to 38 miles!




6. THUMB THROTTLE

Right handle bar thumb throttle.



MODEL#	500 X2WD	CHAIN RING	RAMBO CUSTOM BUILT 36T NARROW WIDE
WEIGHT	74 LBS.	TIRE	26" X 4.0"
FRAME	ALUMINUM ALLOY 6061	RIM	DOUBLE WALL W/O HOLES 80MM WIDE
PAINT	TRUETIMBER VIPER WOODLAND CAMO	PEDAL	WELLGO B807DU
MOTOR	BAFANG 500W HUB MOTOR X2	SADDLE	SELLE ROYAL A027HEO
DIGITAL DISPLAY	BAFANG DPC18 LCD SCREEN	HANDLEBAR	PROMAX 770MM
BATTERY	48V 20AH	STEM	PROMAX MA-50
FORK	GT MRK	GRIP	VELO ERGONOMIC LOCK
FRONT HUB	BAFANG 500W HUB MOTOR	MAX SPEED	20 MPH
REAR HUB	BAFANG 500W HUB MOTOR	RANGE	UP TO 38 MILES
THROTTLE	THUMB THROTTLE	STAND OVER HEIGHT	28"
FRONT BRAKE	LOGAN HD-E500 2 PISTON HYDRAULIC 180MM	FRAME SIZE	19"
REAR BRAKE	LOGAN HD-E500 2 PISTON HYDRAULIC 180MM	WEIGHT CAPACITY	300 LBS.





The Rambo Step-Thru Nomad 750XPST Xtreme Performance bike has all the power and torque of our traditional 750W but with an upgraded front suspension for added off road adventures.

FRAME COLORS





1. BRAKES

Fully adjustable front and rear Tektro HD-E350 2 piston hydraulic 180mm.



4. DIGITAL DISPLAY

Bafang DPC18 which displays trip distance, battery level, power, and speed.



2. MOTOR

Bafang 750W BBSHD High Torque Mid Drive. This motor is suitable for riding on any terrain.



5. TIRES

26" x 4.0" fat tire with double wall 80mm rims.



3. BATTERY

48V 14AH battery. The 14 amp hour battery can give you a max distance up to 38 miles!



6. DERAILLEUR

11 different gear settings and up to5 different power levels.420% gear range.



MODEL#	750 XPST	CHAIN RING	RAMBO CUSTOM BUILT 36T NARROW WIDE
WEIGHT	66 LBS.	TIRE	26" X 4.0"
FRAME	ALUMINUM ALLOY 6061	RIM	DOUBLE WALL W/O HOLES 80MM WIDE
PAINT	TRUETIMBER VIPER WESTERN CAMO	PEDAL	WELLGO B807DU
MOTOR	BAFANG 750W BBSHD HIGH TORQUE MID DRIVE	SADDLE	SELLE ROYAL A027HEO
DIGITAL DISPLAY	BAFANG DPC18 LCD SCREEN	HANDLEBAR	PROMAX 770MM
BATTERY	48V 14AH	STEM	PROMAX MA-50
FORK	GT MRK 860 AIR	GRIP	G225-1
FRONT HUB	KT-M9CF 150MM SEALED	MAX SPEED	20 MPH
REAR HUB	KT-M9CF 197MM SEALED	RANGE	UP TO 38 MILES
THROTTLE	THUMB THROTTLE	STAND OVER HEIGHT	30"
FRONT BRAKE	TEKTRO HD-E350 2 PISTON HYDRAULIC 180MM	FRAME SIZE	19"
REAR BRAKE	TEKTRO HD-E350 2 PISTON HYDRAULIC 180MM	WEIGHT CAPACITY	300 LBS.

DIMENSIONS



RAMBO





Fully adjustable front and rear Tektro HD-E350 2 piston hydraulic 180mm.



4. DIGITAL DISPLAY

Bafang DPC18 which displays trip distance, battery level, power, and speed.



2. MOTOR

Bafang 750W BBSHD High Torque Mid Drive. This motor is suitable for riding on any terrain.



5. TIRES

26" x 4.0" fat tire with double wall 80mm rims.



3. BATTERY

48V 14AH battery. The 14 amp hour battery can give you a max distance up to 38 miles!




6. DERAILLEUR

11 different gear settings and up to5 different power levels.420% gear range.



MODEL#	750 XPC11	CHAIN RING	RAMBO CUSTOM BUILT 36T NARROW WIDE
WEIGHT	66 LBS.	TIRE	26" X 4.0"
FRAME	ALUMINUM ALLOY 6061	RIM	DOUBLE WALL W/O HOLES 80MM WIDE
PAINT	TRUETIMBER VIPER URBAN / WESTERN / GUN METAL GREY	PEDAL	WELLGO B807DU
MOTOR	BAFANG 750W BBSHD HIGH TORQUE MID DRIVE	SADDLE	SELLE ROYAL A027HEO
DIGITAL DISPLAY	BAFANG DPC18 LCD SCREEN	HANDLEBAR	PROMAX 770MM
BATTERY	48V 14AH	STEM	PROMAX MA-50
FORK	GT MRK 860 AIR	GRIP	G225-1
FRONT HUB	KT-M9CF 150MM SEALED	MAX SPEED	20 MPH
REAR HUB	KT-M9CF 197MM SEALED	RANGE	UP TO 38 MILES
THROTTLE	THUMB THROTTLE	STAND OVER HEIGHT	30"
FRONT BRAKE	TEKTRO HD-E350 2 PISTON HYDRAULIC 180MM	FRAME SIZE	19"
REAR BRAKE	TEKTRO HD-E350 2 PISTON HYDRAULIC 180MM	WEIGHT CAPACITY	300 LBS.







Fully adjustable front and rear Logan HD-E500 2 piston hydraulic 180mm.



4. DIGITAL DISPLAY

Rambo LCD screen.



2. MOTOR

Rambo 750W High Torque Mid Drive.



5. TIRES

Kenda Krusade Anti-Puncture 26" x 4.0" fat tire with double wall 80mm rims.



3. BATTERY

48V 14AH battery. The 14 amp hour battery can give you a max distance up to 35 miles!




6. DERAILLEUR

High performance Shamano 1x8. Derailliuer is Shimano Altus 8 speed. 280% gear range.



MODEL#	750 XC	CHAIN RING	46T
WEIGHT	63 LBS.	TIRE	KENDA KRUSADE ANTI-PUNCTURE 26" X 4.0"
FRAME	ALUMINUM ALLOY 6061	RIM	DOUBLE WALL W/O HOLES 80MM WIDE
PAINT	TRUETIMBER VIPER WOODLAND CAMO	PEDAL	NECO ALLOY
MOTOR	RAMBO 750W HIGH TORQUE MID DRIVE	SADDLE	JUSTEC
DIGITAL DISPLAY	RAMBO LCD SCREEN	HANDLEBAR	PROMAX 700MM
BATTERY	48V 14AH	STEM	PROMAX MA-50
FORK	GT MRK	GRIP	VELO ERGONOMIC LOCK ON
FRONT HUB	SF-A214F	MAX SPEED	20 MPH
REAR HUB	STURMEY ARCHER 5 SPEED	RANGE	UP TO 35 MILES
REAR CASSETTE	26T	STAND OVER HEIGHT	29"
FRONT BRAKE	LOGAN HD-E500 2 PISTON HYDRAULIC 180MM	FRAME SIZE	19"
REAR BRAKE	LOGAN HD-E500 2 PISTON HYDRAULIC 180MM	WEIGHT CAPACITY	300 LBS.

DIMENSIONS



RAMBO





Fully adjustable front and rear Logan HD-E500 2 piston hydraulic 180mm.



4. DIGITAL DISPLAY

Rambo LCD screen.



2. MOTOR

Rambo 750W High Torque Mid Drive.



5. TIRES

Kenda Krusade Anti-Puncture 26" x 4.0" fat tire with double wall 80mm rims.



3. BATTERY

48V 14AH battery. The 14 amp hour battery can give you a max distance up to 35 miles!




6. DERAILLEUR

High performance Shamano 1x8. Derailliuer is Shimano Altus 8 speed. 280% gear range.



MODEL#	750 26	CHAIN RING	46T
WEIGHT	63 LBS.	TIRE	KENDA KRUSADE ANTI-PUNCTURE 26" X 4.0"
FRAME	ALUMINUM ALLOY 6061	RIM	DOUBLE WALL W/O HOLES 80MM WIDE
PAINT	MATTE BLACK & GREY MATTE BLACK & ORANGE	PEDAL	NECO ALLOY
MOTOR	RAMBO 750W HIGH TORQUE MID DRIVE	SADDLE	JUSTEC
DIGITAL DISPLAY	RAMBO LCD SCREEN	HANDLEBAR	PROMAX 770MM
BATTERY	48V 14AH	STEM	PROMAX MA-50
FORK	GT MRK	GRIP	HL ERGONOMIC LOCK ON
FRONT HUB	SF-A214F	MAX SPEED	20 MPH
REAR HUB	STURMEY ARCHER 3 SPEED	RANGE	UP TO 35 MILES
REAR CASSETTE	26T	STAND OVER HEIGHT	29"
FRONT BRAKE	LOGAN HD-E500 2 PISTON HYDRAULIC 180MM	FRAME SIZE	19"
REAR BRAKE	LOGAN HD-E500 2 PISTON HYDRAULIC 180MM	WEIGHT CAPACITY	300 LBS.

- CHAIN TO HAND POST 16.2"
- 2 SEAT TUBE TO HANDPOST 23 7"
- **3** HEAD TUBE 6.3"
- 4 SEAT TUBE 19"
- 5 STAND OVER HEIGHT 31"



- 6 FORK LENGTH 20.75"
- FORK WIDTH
- 8 CHAIN STAY LENGTH 19.8"
- **9 WHEELBASE** 45.9"







Fully adjustable front and rear Logan HD-E500 2 piston hydraulic 180mm.



4. DIGITAL DISPLAY

Rambo LCD screen.



2. MOTOR

Rambo 750W High Torque Mid Drive.



5. TIRES

Kenda Krusade Anti-Puncture 24" x 4.0" fat tire with double wall 80mm rims.



3. BATTERY

48V 14AH battery. The 14 amp hour battery can give you a max distance up to 35 miles!



6. DERAILLEUR

High performance Shamano 1x8. Derailliuer is Shimano Altus 8 speed. 280% gear range.



MODEL#	750 24	CHAIN RING	46T
WEIGHT	63 LBS.	TIRE	KENDA KRUSADE ANTI-PUNCTURE 24" X 4.0"
FRAME	ALUMINUM ALLOY 6061	RIM	DOUBLE WALL W/O HOLES 80MM WIDE
PAINT	MATTE BLACK & TAN MATTE BLACK & TEAL	PEDAL	NECO ALLOY
MOTOR	RAMBO 750W HIGH TORQUE MID DRIVE	SADDLE	JUSTEC
DIGITAL DISPLAY	RAMBO LCD SCREEN	HANDLEBAR	PROMAX 770MM
BATTERY	48V 14AH	STEM	PROMAX MA-50
FORK	GT MRK	GRIP	HL ERGONOMIC LOCK ON
FRONT HUB	SF-A214F	MAX SPEED	20 MPH
REAR HUB	STURMEY ARCHER 3 SPEED	RANGE	UP TO 35 MILES
REAR CASSETTE	26T	STAND OVER HEIGHT	26.5"
FRONT BRAKE	LOGAN HD-E500 2 PISTON HYDRAULIC 180MM	FRAME SIZE	17.5"
REAR BRAKE	LOGAN HD-E500 2 PISTON HYDRAULIC 180MM	WEIGHT CAPACITY	300 LBS.









Fully adjustable front and rear Tektro 180mm brake.



4. DIGITAL DISPLAY

Rambo LCD screen.



2. MOTOR

Rambo 750W High Torque Mid Drive.



5. TIRES

Kenda Krusade 26" x 4.0" fat tire with double wall 80mm rims.



3. BATTERY

48V 14AH battery. The 14 amp hour battery can give you a max distance up to 35 miles!




6. DERAILLEUR

High performance Shamano 1x8. Derailliuer is Shimano Altus 8 speed. 280% gear range.



MODEL#	750W	CHAIN RING	46T
WEIGHT	59 LBS.	TIRE	KENDA KRUSADE 26" X 4.0"
FRAME	ALUMINUM ALLOY 6061	RIM	DOUBLE WALL W/O HOLES 80MM WIDE
PAINT	MATTE BLACK FDE	PEDAL	NECO ALLOY
MOTOR	RAMBO 750W HIGH TORQUE MID DRIVE	SADDLE	JUSTEC
DIGITAL DISPLAY	RAMBO LCD SCREEN	HANDLEBAR	730MM WITH 60MM RISE
BATTERY	48V 14AH	STEM	60MM
FORK	ALUMINUM 26" X 4" TAPERED RIGID	GRIP	ERGONOMIC LOCK ON
FRONT HUB	RAMBO SEALED BEARING	MAX SPEED	20 MPH
REAR HUB	STURMEY ARCHER 3 SPEED	RANGE	UP TO 35 MILES
REAR CASSETTE	20T	STAND OVER HEIGHT	28.5"
FRONT BRAKE	TEKTRO 180MM	FRAME SIZE	19"
REAR BRAKE	TEKTRO 180MM	WEIGHT CAPACITY	300 LBS.







Fully adjustable front and rear Tektro machanical disc 180mm brakes.



4. DIGITAL DISPLAY

LCD mini digital dispay screen.



2. MOTOR

750 watts of motor power transferred through the 20 inch rear wheel delivers exceptional torque and performance.



5. TIRES

Kenda Anti Puncture 20" x 3.3" tires.



3. BATTERY

48V 14AH battery. The 14 amp hour battery can give you a max distance up to 35 miles!




6. REAR RACK

Built right into the frame is the rear basket. Compatible with many Rambo accessories.



MODEL#	750W 20	CHAIN RING	52T
WEIGHT	61 LBS.	TIRE	KENDA ANTI PUNCTURE 20" X 3.3" TIRES
FRAME	ALUMINUM ALLOY 6061	RIM	DOUBLE WALL W/O HOLES
PAINT	MATTE BLACK & GREY	PEDAL	NECO ALLOY
MOTOR	BAFANG 750W HIGH TORQUE REAR HUB MOTOR	SADDLE	JUSTEC
DIGITAL DISPLAY	LCD MINI	HANDLEBAR	9IN. HIGH RISE BMX
BATTERY	48V 14AH	STEM	50MM BMX
FORK	ALUMINUM RIGID	GRIP	VELO ERGONOMIC LOCKON
FRONT HUB	SF-A214F	MAX SPEED	20MPH
REAR HUB	BAFANG 750W	RANGE	UP TO 35 MILES
REAR CASSETTE	16T	STAND OVER HEIGHT	17.5"
FRONT BRAKE	TEKTRO 180MM	FRAME SIZE	17"
REAR BRAKE	TEKTRO 180MM	WEIGHT CAPACITY	300 LBS.

DIMENSIONS



RAMBO

TRAILERS



The Rambo bike cart is a great add-on to any Rambo model you have. Quick and easy attachment to the bike and smooth operation. Use it to haul gear, camping equipment, treestands, or getting your trophy out of the backwoods. The cart also has a grab handle for use without the Rambo. Great for hauling fire wood or other loads around the farm when not using with your Rambo bike.





KAYAK TRAILER

R187

MODEL # R187 WEIGHT: 28 lbs

CONSTRUCTION: Steel

BASKET SIZE: Shortest: 8', Longest: 10', Width: 3'

FOR USE WITH: All Rambo bikes

NOTE: R150 rack also required to allow installation and proper use of this accessory

Haul your favorite kayak right to your launching destination and safety. Padded contact points protect your kayak from scratches, while simple ratchet straps secure it tightly in place.







SADDLE BAGS

TRIPLE ACCESSORY BAGS MM



Top bag comes with built in backpacking straps, side bags come with shoulder straps. Easy on/off design allows for quick and secure mounting.

MODEL # R161

CONSTRUCTION: Waterproof PVC **FOR USE WITH:** All Rambo bikes

TOP BAG SIZE: 31 liters

SIDE BAG SIZE: 22 liters (each)

TOTAL: 75 liters

NOTE: R150 rack also required to allow installation and proper use of this accessory



Built with backpacking/ shoulder straps



DOUBLE SADDLE ACCESSORY BAG

MODEL # R162 Black

CONSTRUCTION: Waterproof fabric FOR USE WITH: All Rambo bikes

NOTE: R150 rack also required to allow installation and proper use of this accessory

Add storage to your Rambo with a double saddle bag. Made of durable waterproof fabric with reflective rim detail. Comes in three options: Black



RAMBO

R162

BLACK WATERPROOF RISA ACCESSORY BAG



Quickly attachable single waterproof accessory bag. Perfect tool for helping you keep all of your equipment dry and protected from the elements! You have the option to roll with a single accessory bag or upgrade to a double saddle bag. No matter what your ride is, the waterproof accessory bag is built for the use with all Rambo bikes.

CONSTRUCTION: Waterproof PVC

FOR USE WITH: All Rambo bikes

NOTE: R150 rack also required to allow installation and proper

use of this accessory

SINGLE SADDLE ACCESSORY BAG

MODEL # R155 Black

CONSTRUCTION: Waterproof fabric **FOR USE WITH:** All Rambo bikes

NOTE: R150 rack also required to allow installa-

tion and proper use of this accessory

Add storage to your Rambo while keeping one side of the rack accessible for other addons. Made of durable waterproof fabric with relective trim detail. Comes in three options:





LUGGAGE RACKS

LARGE BASKET M43-L





SMALL BASKET M43-8



MODEL # R43-S, R143-L

CONSTRUCTION: Alluminum Alloy 6061 **FOR USE WITH:** All 2017 and newer

Rambo bike models

Built in both small and large,

keep your equipment tight and secure with

the Rambo Basket. Simply just load your gear and go. If you wish to have your gear even more secure, the baskets have been designed to easily strap down all of your equipment.

LARGE: 19 x 13.5 in. **SMALL:** 13.5 x 13.5 in.

RACK PLATFORM R144



MODEL # R44

CONSTRUCTION: Alluminum Alloy 6061

FOR USE WITH: All 2017 and newer Rambo

bike models

The Rambo Rack Platform has been designed for overall convenience in equipment hauling! All you need is a strap and you can mount whatever you need to your Rambo.

SIZE: 20.5 x 18.75 in.





MODEL # R150

CONSTRUCTION: Alluminum Alloy 6061 FOR USE WITH: All Rambo Bikes

(Except Rooster)

Don't want the accessory bag, and don't want to pull the trailer, but need more tie-down space? Our rugged yet light-weight extra large rack offers increased tie-down storage space right on the back of your Rambo.



FRONT LUGGAGE RACK R149 | R151



MODEL # R151

CONSTRUCTION: Alluminum Alloy 6061 FOR USE WITH: Savage and Cruiser

Get additional tie-down storage space with our rugged, light weight extra large rack designed for the front of vour Rambo bike.






MODEL # R149

CONSTRUCTION: Alluminum Alloy 6061 FOR USE WITH: 750 20 Rooster

Perfect for adding additional storage and is designed to equip all other Rambo baskets nad platforms.



FRONT RACK XP RASIEXP



MODEL # R151-XP

CONSTRUCTION: Alluminum Alloy 6061 FOR USE WITH: Front Luggage rack for XP models with Inverted front suspension

Perfect for adding additional storage and is designed to equip all other Rambo baskets and paltforms.





FENDERS

R146 (FRONT) R147 (RFAR)

MODEL # R146 (front), R147 (rear)

FOR USE WITH: All Rambo bikes with the

exception of the R350

The original fat bike fenders! The Dave's Mud Shovels are designed specifically for fat bikes - they're extra long and wide to block the snow, water, or sand you'll ride through on your next fat bike adventure. Made of heavy-duty polymer, the Dave's Mud Shovels are super lightweight but sturdy enough to take years of bad weather abuse.



GEAR HAULERS

TAILGATE COVER

R193





Load up to 4 bikes!

MODEL # R193

FOR USE WITH: All Rambo bikes

Protect your truck's tailgate when transporting your bike with the Rambo Tailgate Cover. The cover is designed to help avoid dents and scratches when your bike is hanging over the tailgate while in transit to your destination.

- Durable water resistant fabric
- Protects your bike and truck from damage
- Simple install design



BIKE HAULER

MODEL # R184

CONSTRUCTION: Steel with

powder coated finish

FOR USE WITH: All bike tire

sizes: 16"-29"

This Fat Tire Bike Hauler transports your Rambo Bike with ease. With universal top clamps and adjustable base for the tires, your bike is sure to have a secure fit. Folds to compact size for easy storage and has a pivoting feature that allows the tailgate or hatch to open while the hauler is still attached to your vehicle.





Adjustable base to secure tires



2 bike capacity

R17N



Folds compact for easy storage

GUN/BOW HOLDER

MODEL#R170

CONSTRUCTION: Alluminum Alloy 6061 **FOR USE WITH:** All Rambo bikes

NOTE: R150 rack also required to allow installation and proper use of this accessory

Make your Rambo a true hunting travel tool by adding the Universal Gun/Bow Holder. This lightweight mount allows for secure attachment of any gun, bow or even fishing poles. And will also secure a crossbow for hands free and safe travel with your hunting weapon.







LIGHTS AND ACCESSORIES

PRO HUNTER ULTRA BRIGHT 19141 FLASHLIGHT



FOR USE WITH: All bikes

MODES		3 ¹ / ₂ OUTPUT	O RUNTIM E	DISTAN CE	INTENSI TY	IMPACT RESISTA NT	WATER PROOF
White Mode	High	1100 Lumen	2hrs45min*	220m	18000 <u>cd(</u> Max)	1.2m	IPX-6
	Middle	400 Lumen	7hrs				
	Low	200 Lumen	14hrs				
Green Mode	High	400 Lumen	2hrs45min	50m			
	Low	200 Lumen	7hrs30min				

MODEL # R141

FOR USE WITH: All bikes

The ultimate hunter's light Multi- color LED's allow you to use either white or green light Maximum 1100 lumen white light and 400 lumen green light. Built in battery bank for charging accessories on the go or in the stand, with the USB port. Quickly detaches from the bike for a hand held flashlight. Waterproof IPX-6.



Light up the night with this powerful LED headlight. Quickly fastens to the bike frame and can be used on all Rambo Bike models. Great for getting out to your stand early and safely before the big bucks are on their feet. Also for the journey back to camp safely after your hunt is over. Just mount, and go!



CUP HOLDER

R125

MODEL # R125

FOR USE WITH: All bikes

The Rambo Beverage Holder is intended for use with cylindrical shaped water bottles – hence tall boys fit fine! The bottom strap is very adjustable, allowing the cup holder to accommodate 12-24oz containers.





Three points of attachment fasten to your stem, handlebars, and steerer tube for a solid hold, providing carefree riding and sipping on the beverage of your choice

CLOUD 9 SPORT WIDE SADDLE SEAT

RP-25-08-01



MODEL # RP-25-08-01
FOR USE WITH: All bikes

The Cloud 9 Sport Saddle Seat is a comfort padded seat with Memory Foam. This is a must have for every ride!



CLOUD 9 CRUISER SADDLE SEAT

RP-25-08



MODEL # RP-25-08
FOR USE WITH: All bikes

The Cloud 9 Airflow Seat is an ultra-wide comfort padded seat. This is a must have for a very comfortable ride!





UPGRADES



Riding through rough terrain has never been easier than with the coil suspension fork upgrade for your Rambo 750. The spring-loaded forks make going over bumps and divots smooth while still allowing you to maintain control.

SUNTOUR NCX SUSPENSION RP-25-04 SERT POST

MODEL# RP-25-04

FOR USE WITH: All Rambo bikes

Adjustable suspension that allows for a much smoother ride on any terrain.





SCENT STRAP R109



MODEL # R109
FOR USE WITH: All bikes

Need a good way to quickly leave an attractive scent around your property without the risk of getting sweaty and leaving your own s cent behind? We've got you covered!

Our new Scent Strap attaches to the wheels of your bike and creates a scent trail that will attract deer right to your stand.

TANNUS ARMOUR FAT TIRE INSERTS



MODEL # R110
FOR USE WITH: All bikes

Tannus Armour provides 15mm of puncture protection on the top, as well as 2mm of sidewall protection. At the heart of Tannus is our patented Aither Technology. Aither is a multi-cell foam compound that forms the structure of the Armour.

STUDDED TIRES

ANTI-PUNCTURE TIRES



MODEL # RP-25-09-01, RP-25-09-02 FOR USE WITH: All 26X4.8" and 26X4.0" wheels

For use in snow and icy conditions. Available in 26x4.8" and 26x4.0"



MODEL # RP-08-07, RP-08-08, RP-08-10 FOR USE WITH: All 26X4.0" and 24X4.0" wheels

For use in extreme rugged conditions. Available in 26x4.0" / 24x4.0" / 26x4.8"



BATTERIES

R139

21 AMP HOUR BATTERY

FOR USE WITH: 2018 and newer Rambo XP models with 18" battery cases



R129, R129-T

17 AMP HOUR BATTERY

FOR USE WITH: Rambo 1000 XPR, 1000 X2WD, 1000 XPE



R137

14.5 AMP HOUR BATTERY

FOR USE WITH: 2018 and newer Rambo XP models with 18" battery case



R138-14

14 AMP HOUR BATTERY


FOR USE WITH: Rambo 750 26" and 750 24" models





TOOLS / BIKE MAINTENANCE

PORTABLE TOOL KIT MIS



HOME REPAIR KIT R116



removal tool, chain break, valve stem remover, zip ties, and a tire lever set.

FLAT ATTCK R106 SEALANT



MODEL # R106

FOR USE WITH: Tube and tubeless tires

"The Original Green Sealant" is your go-to tire insurance out in the field. Flat Attack's proprietary formula will neither separate nor dry out, keeping punctures sealed repeatedly for years as you ride. Still not impressed? Flat Attack Sealant is also environmentally safe and non-poisonous. You're welcome.



• PU9003: Travel Pump with Removable PSI Gauge

• Pressure Release Valve



2022 RAMBO LINEUP







MEGATRON



RANPAGE 4.8



RAN**PAGE**



PROWLER



STEP THRU REBEL



REBEL



KRUSADER



STEP THRU NOMAD



NOMAD



ROAMER



PUR**SUIT**



RYDER



SALAGE



ROOSTER





RAMBONIA ON A STATE OF THE STAT

